

**To:** Way, Steven[way.steven@epa.gov]  
**From:** Jamison - CDPHE, Doug  
**Sent:** Tue 9/8/2015 10:26:00 PM  
**Subject:** Fwd: Silverton request from Steve Way

Hey Steve,  
Some information that may or may not be useful. Frankly I think that treating water over the winter would be throwing good money after bad, but I don't get paid to make those decisions.

**Doug Jamison**

**Superfund/Brownfields Unit Leader**

**State of Colorado, Dept. of Public Health and Environment**

**4300 Cherry Creek Drive South, Denver 80246**

**office: 303.692.3404 | fax: 303.691.7878**

**email: [doug.jamison@state.co.us](mailto:doug.jamison@state.co.us)**

----- Forwarded message -----

**From:** Apostolopoulos - CDPHE, Fonda <[fonda.apostolopoulos@state.co.us](mailto:fonda.apostolopoulos@state.co.us)>  
**Date:** Tue, Sep 8, 2015 at 10:15 AM  
**Subject:** Re: Silverton request from Steve Way  
**To:** "Jamison - CDPHE, Doug" <[doug.jamison@state.co.us](mailto:doug.jamison@state.co.us)>  
**Cc:** "Rudolph - CDPHE, Mark" <[mark.rudolph@state.co.us](mailto:mark.rudolph@state.co.us)>, Mary Boardman - CDPHE <[mary.boardman@state.co.us](mailto:mary.boardman@state.co.us)>, "wendy.naagle@state.co.us" <[wendy.naagle@state.co.us](mailto:wendy.naagle@state.co.us)>

Doug.  
Have Steve call Joe Harrington at Alexco. He still has his batch plant we used at Globe.  
Fonda

Joseph G. Harrington

VP – Business and Strategic Development

**Alexco Environmental Group (US) Inc.**

A member of the

**Alexco Environmental Group**

12150 East Briarwood Avenue, Suite 135

Centennial, CO 80112

720.883.6700 mobile

303.862.3927 office

303.862.3926 fax

joeharrington@alexcoresource.com

www.alexcoresource.com

On Tue, Sep 8, 2015 at 9:26 AM, Jamison - CDPHE, Doug <[doug.jamison@state.co.us](mailto:doug.jamison@state.co.us)> wrote:

A temporary/package plant was installed at Globe and operated for a couple of years.  
Fonda can probably get you specific info and performance data.

**Doug Jamison**

**Superfund/Brownfields Unit Leader**

**State of Colorado, Dept. of Public Health and Environment**

**4300 Cherry Creek Drive South, Denver 80246**

**office: 303.692.3404 | fax: 303.691.7878**

**email: [doug.jamison@state.co.us](mailto:doug.jamison@state.co.us)**

On Mon, Sep 7, 2015 at 9:50 AM, Rudolph - CDPHE, Mark <[mark.rudolph@state.co.us](mailto:mark.rudolph@state.co.us)> wrote:

It appears that EPA is purchasing or renting a package water treatment unit for the Gold King. Steve called me up last week and asked if we had any experience with packaged WTP's and our opinions on them, good/bad points, and insight or recommendations for them as they are going through the procurement of this. I think if we do have anything for them we need to provide by middle of this week at latest. EPA already has three bids from contractors to bring up and start treating water there.

Mark Rudolph

Superfund, Brownfield's and Voluntary Cleanup

Colorado Department of Public Health and Environment

4300 Cherry Creek Drive South

Denver, Colorado 80246

[mark.rudolph@state.co.us](mailto:mark.rudolph@state.co.us)

office - 303-692-3311

fax - 303-759-5355

cell -303-916-2179

Mr. Fonda Apostolopoulos, P.E.  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, CO 80246

303-692-3411  
Fonda.Apostolopoulos@State.co.us